

A detailed line-art illustration of an industrial factory setting. In the foreground, a worker wearing safety glasses and a hard hat is shown in profile, looking down at a clipboard. Behind him, a large gear mechanism is visible. To the right, another worker is seen from behind, working on a structure. The background features various industrial components like pipes, tanks, and a recycling symbol on a machine. The overall style is clean and technical.

MAESTRO 3.0

PROFESSIONAL
ARCHITECTURAL
LIGHTING

Periskop

i-LÉD

periskop

Материалы

Алюминиевый корпус

Рассеиватель из закаленного стекла





periskop range





	Periskop	Periskop Narrow
4,5 W	□ 46 mm RGB	-
6 W - 6,5 W	□ 46 mm - □ 76 mm	□ 46 mm
8 W	□ 76 mm RGBW	□ 76 mm
9 W	-	-
18 W	□ 110 mm - □ 110 mm RGBW	□ 110 mm
30 W	□ 162 mm	-
37 W	□ 162 mm RGBW	-
42 W	□ 162 mm	-
46 W	□ 162 mm	□ 162 mm
Accessories		
Optics	Spot - Narrow Spot - Flood - Wide Flood	Spot - Narrow Spot
Finish	<input type="checkbox"/> White <input checked="" type="checkbox"/> Black <input type="checkbox"/> Grey <input type="checkbox"/> DarkBrown	<input type="checkbox"/> White <input checked="" type="checkbox"/> Black <input type="checkbox"/> Grey <input type="checkbox"/> DarkBrown
Cct	2700K - 3000K 4000K - RGB - RGBW	2700K - 3000K 4000K
Control	On/Off - DALI	On/Off - DALI

periskop accessories

Внешние аксессуары - Против бликов

Антибликовые аксессуары разработаны для снижения световых бликов. Данные аксессуары изготавливаются из алюминия, окрашенного в черный цвет.




Внутренние аксессуары - жалюзи Noneusomb и эллиптический фильтр


Аксессуар жалюзи Noneusomb разработан для снижения световых бликов. Эллиптический фильтр обеспечивает создание овальных проекций.





81168W08



Фотометрическая кривая




Световой поток



Схема

Periskop | Accent lighting | powerLED 6 W DC 500 mA





		Cct	lm S - D	Optic
White	90519	M 2700	659 - 396	15 Spot (14°)
Black	90520	W 3000	659 - 396	30 Flood (28°)
Grey	90521	N 4000	711 - 427	60 W.Flood (50°)
DarkBrown	90522			

Электроника

99181	99185	83101
ON/OFF 1 art.	ON/OFF 2-3 art.	DALI 1-4 art.
p 80 x l 100 x h 31	p 92 x l 117 x h 38	p 54 x l 121 x h 26

Аксессуары Pag. 11

Periskop Narrow | Accent lighting | powerLED 6 W DC 500 mA




		Cct	lm S - D	Optic
White	81788	M 2700	659 - 487	08 Spot (11°)
Black	81789	W 3000	659 - 487	
Grey	81790	N 4000	711 - 524	
DarkBrown	81791			

Электроника

99181	99185	83101
ON/OFF 1 art.	ON/OFF 2-3 art.	DALI 1-4 art.
p 80 x l 100 x h 31	p 92 x l 117 x h 38	p 54 x l 121 x h 26

Аксессуары Pag. 11

Periskop RGB | Accent lighting | powerLED 4,5 W DC 500 mA




		Z RGB	Optic
White	95068		15 Spot -
Black	95126		60 W.Flood -
Grey	95141		
DarkBrown	95330		

Электроника

99742+99702	99333	DMX	Driver	Switching
Dimmer RF 1-12 art.	Dimmer DMX 2-12 art.	Controllers CV 24V/48V Pag. 952-953	CV 48V Pag. 941	CV 48V Pag. 932

Аксессуары Pag. 11



Periskop | 198-264 V AC | Accent lighting | arrayLED 6,5 W DC - 8 W AC



		Cct	lm S - D	Optic
White	95346	M 2700	770 - 557	15 Spot (15°)
Black	95347	W 3000	770 - 597	30 Flood (37°)
Grey	95348	N 4000	831 - 645	60 W.Flood (62°)
DarkBrown	95349			

Аксессуары Pag. 11


Periskop Narrow | 198-264 V AC | Accent lighting | powerLED 8 W DC - 10 W AC



		Cct	lm S - D	Optic
White	81160	M 2700	854 - 588	08 N.Spot (6°)
Black	81161	W 3000	854 - 588	
Grey	81162	N 4000	922 - 635	
DarkBrown	81163			

Аксессуары Pag. 11

Periskop RGBW | Accent lighting | powerLED 8 W DC 630 mA



			Optic
White	81493	Q RGBW natural white	06 N.Spot
Black	81494	V RGBW warm white	15 Flood
Grey	81495		45 W.Flood
DarkBrown	81496		

Электроника

99743+99702

Dimmer RF
1 - 12 art.

99333

Dimmer DMX
2 - 12 art.

DMX

DMX Controllers
CV 24V/48V
Pag. 952 - 953

Driver


Driver
CV 48V
Pag. 941

Switching

Switching
CV 48V
Pag. 932

Аксессуары Pag. 11


Periskop | 198-264 V AC | Accent lighting | arrayLED 18 W DC - 20 W AC



		Cct	lm S - D	Optic
White	95366	M 2700	2349 - 1700	15 Spot (17°)
Black	95368	W 3000	2510 - 1818	30 Flood (34°)
Grey	95370	N 4000	2510 - 1970	60 W.Flood (63°)
DarkBrown	95378			

Аксессуары Pag. 11



Periskop Narrow | 198-264 V AC | Accent lighting | 3 x powerLEDs 18 W DC - 20 W AC



		Cct	lm S - D	Optic
White	81164	M 2700	1977 - 1452	08 N.Spot (8°)
Black	81165	W 3000	1977 - 1452	
Grey	81166	N 4000	2133 - 1567	
DarkBrown	81167			

Аксессуары Pag. 11

Periskop RGBW | Accent lighting | arrayLED 18 W DC 500 mA



			Optic
White	81497	V RGBW warm white	15 Spot -
Black	81498		30 Flood -
Grey	81499		60 W.Flood -
DarkBrown	81500		

Электроника

99742+99702

Dimmer RF
1 - 4 art.

99333

Dimmer DMX
1 - 4 art.

DMX

Controllers
Pag. 952 - 953

Driver

CV 48V
Pag. 941


Switching

CV 48V
Pag. 932

Аксессуары Pag. 11



Periskop | 198-264 V AC | Accent lighting | arrayLED





30 W DC - 33 W AC		Cct	lm S - D	Optic
White	81367	M 2700	3991 - 3272	20 Spot (20°)
Black	81368	W 3000	4270 - 3501	30 Flood (27°)
Grey	81369	N 4000	4588 - 3762	60 W.Flood (51°)
DarkBrown	81370			

46 W DC - 50 W AC		Cct	lm S - D	Optic
White	80383	M 2700	6153 - 4538	20 Flood (26°)
Black	80384	W 3000	6153 - 4538	30 Flood (30°)
Grey	80385	N 4000	7074 - 5218	60 W.Flood (51°)
DarkBrown	80386			

Аксессуары Pag. 11

Periskop | 100-277 V AC | Accent lighting | arrayLED




30 W DC - 33 W AC		Cct	lm S - D	Optic
White	81542	M 2700	3991 - 3272	20 Spot (20°)
Black	81543	W 3000	4270 - 3501	30 Flood (27°)
Grey	81544	N 4000	4588 - 3762	60 W.Flood (51°)
DarkBrown	81545			

42 W DC - 46 W AC		Cct	lm S - D	Optic
White	81546	M 2700	5953 - 4389	20 Spot (25°)
Black	81547	W 3000	5953 - 4389	30 Flood (30°)
Grey	81548	N 4000	6845 - 5049	60 W.Flood (51°)
DarkBrown	81549			

Аксессуары Pag. 11


Periskop Narrow | 198-264 V AC | Accent lighting | 9 x powerLEDs 46 W DC - 50 W AC



		Cct	lm S - D	Optic
White	81168	M 2700	5243 - 3075	08 N.Spot (7°)
Black	81169	W 3000	5243 - 3075	
Grey	81170	N 4000	5660 - 3320	
DarkBrown	81171			

Аксессуары Pag. 11

Periskop RGBW | 99-264 V AC | Accent lighting | arrayLED 37 W DC - 40 W AC



			Optic
White	81784	V RGBW warm white	20 Spot -
Black	81785		30 Flood -
Grey	81786		60 W.Flood -
DarkBrown	81787		

Электроника

DMX DMX controllers Pag. 952 - 953	99385 DMX/RDM addresser	98986 DMX LINE Clouser 120 Ohm	98985/99390 Splitter ALLinONE Start & Continuity Pag. 956
---	--------------------------------------	---	---

Аксессуары Pag. 11


Аксессуары



description

98624 Стальные штанга 160 mm

suitable for: Periskop 46mm / Periskop Narrow 46mm
Periskop RGB 46mm



description

98549 Штанга

suitable for: Periskop 76/110/162mm
Periskop Narrow 76/110/162mm
Periskop RGBW 76/110/162mm



description

99802 Обхват для дерева

suitable for: Periskop / Periskop Narrow
Periskop RGB / Periskop RGBW



description

98550 Штанга

suitable for: Periskop 46mm
Periskop Narrow 46mm
Periskop RGB 46mm



description

98966 Экран для предотвращения бликов

suitable for: Periskop 76mm / Periskop Narrow 76mm
Periskop RGBW 76mm



description

98967 Экран для предотвращения бликов

suitable for: Periskop 110mm / Periskop Narrow 110mm
Periskop RGBW 110mm



description

98968 Экран для предотвращения бликов

suitable for: Periskop 162mm / Periskop Narrow 162mm
Periskop RGBW 162mm



description

98969 Трубка для предотвращения бликов

suitable for: Periskop 76mm / Periskop RGBW 76mm



description

98970 Трубка для предотвращения бликов


suitable for: Periskop 110mm / Periskop RGBW 110mm



description

98971 Трубка для предотвращения бликов


suitable for: Periskop 162mm / Periskop RGBW 162mm



description

On request Honey-comb

suitable for: Periskop



description

On request Эллиптический фильтр

suitable for: Periskop

Addresses

Linea Light HQ Italy

via della Fornace, 59 z.i.
31023 Castelmolin di Resana (TV) - Italy
Phone: +39 0423 7868
Fax: +39 0423 786900
info@linealight.com

Linea Light Milano

via Morimondo, 26 int. 17G
20143 Milano - Italy
Phone: +39 02 36750915
Fax: +39 02 36750915
milano@linealight.com

Linea Light Roma

Via La Spezia, 34
00182 Roma - Italy
Phone: +39 06 68589134
info@linealightroma.com

Linea Light UK

Suite 109 - The Business Design Centre
52 Upper Street - Islington N10QH
London - UK
Phone: +44 0203 6371983
info@linealight-uk.com

Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas
68310 Wittelsheim - France
Phone: +33 389 75 52 23
Fax: +33 389 75 59 07
info@linealight.fr

Linea Light Deutschland

Aktienstraße 214
45473 Mülheim Ruhr - Germany
Phone: +49 208 299979-0
Fax: +49 208 299979-10
service@linealight.de

Linea Light USA - Inter Lux

3741 Commerce Drive
Suites 306-308
Baltimore, MD 21227 - USA
Phone: +1 410 381 1497
Fax: +1 410 381 1589
answers@inter-lux.com

Linea Light Russia

Design Center Artplay
Nizhnyaya Syromyatnicheskaya 10/2 enter B,
3rd floor, office 14
105120 Moscow - Russia Federation
Phone: +7 495 639 9941
info@linealight.ru

Linea Light Spain

C/ Longares, 48
28022 Madrid - Spain
Phone: +34 912534773
info@linealight.es

Linea Light Singapore


21 Kaki Bukit Place, 5th Fl.
Eunos Techpark Singapore
416199 Singapore
Phone: +65-6908 5758
info.sg@linealight.com

Linea Light GCC

Jumeirah Lake Towers
JBC2 - 35th Floor Cluster V - Dubai - UAE
P.O. Box 125902
Phone: +971 4 4218275
Fax: +971 4 4218274
info@linealight.ae

Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,
528478 Xiaolan Town, Zhongshan City,
Guangdong Province - China
Phone: +86 760 87618355
info@linealight.com.cn



Special edition to celebrate the new 2021 factory

linealight.com